

CORE BITS



2550 N. Powerline Rd, Ste 102

Pompano Beach Fl 33069

1-800-211-0665

www.dtiblades.com

Mon-Fri 8AM - 5PM

CORE BITS MADE IN USA

USA TURBO

8MM PREMIUM QUALITY TURBO SEGMENTED LASER-WELDED CORE BITS PROVIDE FAST & EASY DRILLING IN CONCRETE BLOCK, BRICK & CONCRETE PRODUCTS.



SIZE	ITEM#	DESCRIPTION
2"	2 CB ZZ USA-E	15"x 1-1/4"-7
2 1/2"	2.5 CB ZZ USA-E	15"x 1-1/4"-7
2 3/4"	2.75 CB ZZ USA-E	15"x 1-1/4"-7
3"	3 CB ZZ USA-E	15"x 1-1/4"-7
3 1/2"	3.5 CB ZZ USA-E	15"x 1-1/4"-7
4"	4 CB ZZ USA-E	15"x 1-1/4"-7
4 1/4"	4.25 CB ZZ USA-E	15"x 1-1/4"-7
4 1/2"	4.5 CB ZZ USA-E	15"x 1-1/4"-7
5"	5 CB ZZ USA-E	15"x 1-1/4"-7
5 1/2"	5.5 CB ZZ USA-E	15"x 1-1/4"-7
6"	6 CB ZZ USA-E	15"x 1-1/4"-7
6 1/4"	6.25 CB ZZ USA-E	15"x 1-1/4"-7
6 1/2"	6.5 CB ZZ USA-E	15"x 1-1/4"-7
7"	7 CB ZZ USA-E	15"x 1-1/4"-7
8"	8 CB ZZ USA-E	15"x 1-1/4"-7
9"	9 CB ZZ USA-E	15"x 1-1/4"-7
10"	10 CB ZZ USA-E	15"x 1-1/4"-7
12"	12 CB ZZ USA-E	15"x 1-1/4"-7
14"	14 CB ZZ USA-E	15"x 1-1/4"-7

CUSTOM: SEGMENTS, LENGTHS, & DIAMETERS AVAILABLE

Hard Concrete | Cured Concrete | Reinforced Concrete | Block | Brick

USA SEGMENTED

8MM PRO-SERIES LASER-WELDED CORE BITS PROVIDE THE FASTEST POSSIBLE DRILLING IN A WIDE RANGE OF CURED CONCRETE, PRE-STRESSED CONCRETE & PAVING MATERIALS.



SIZE	ITEM#	DESCRIPTION
2"	2 CB P USA-E	15"x 1-1/4"-7
2 1/4"	2.25 CB P USA-E	15"x 1-1/4"-7
2 1/2"	2.5 CB P USA-E	15"x 1-1/4"-7
2 3/4"	2.75 CB P USA-E	15"x 1-1/4"-7
3"	3 CB P USA-E	15"x 1-1/4"-7
3 1/4"	3.25 CB P USA-E	15"x 1-1/4"-7
3 1/2"	3.5 CB P USA-E	15"x 1-1/4"-7
4"	4 CB P USA-E	15"x 1-1/4"-7
4 1/4"	4.25 CB P USA-E	15"x 1-1/4"-7
4 1/2"	4.5 CB P USA-E	15"x 1-1/4"-7
5"	5 CB P USA-E	15"x 1-1/4"-7
5 1/2"	5.5 CB P USA-E	15"x 1-1/4"-7
6"	6 CB P USA-E	15"x 1-1/4"-7
6 1/4"	6.25 CB P USA-E	15"x 1-1/4"-7
7"	7 CB P USA-E	15"x 1-1/4"-7
8"	8 CB P USA-E	15"x 1-1/4"-7
9"	9 CB P USA-E	15"x 1-1/4"-7
10"	10 CB P USA-E	15"x 1-1/4"-7
12"	12 CB P USA-E	15"x 1-1/4"-7
14"	14 CB P USA-E	15"x 1-1/4"-7

CUSTOM SEGMENTS, LENGTHS, & DIAMETERS AVAILABLE

Hard Concrete | Cured Concrete | Reinforced Concrete | Block | Brick

CORE BITS

WET COREBITS



8MM PRO-SERIES LASER-WELDED CORE BITS PROVIDE THE FASTEST POSSIBLE DRILLING IN A WIDE RANGE OF CURED CONCRETE, PRE-STRESSED CONCRETE & PAVING MATERIALS.



SIZE	ITEM#	DESCRIPTION
3/4"	.75 CB P-E	15"x 1-1/4"-7
7/8"	.625 CB P-E	15"x 1-1/4"-7
1"	1 CB P-E	15"x 1-1/4"-7
1 1/8"	1.125 CB P-E	15"x 1-1/4"-7
1 1/4"	1.25 CB P-E	15"x 1-1/4"-7
1 1/2"	1.5 CB P-E	15"x 1-1/4"-7
1 3/4"	1.75 CB P-E	15"x 1-1/4"-7
2"	2 CB P-E	15"x 1-1/4"-7
2 1/4"	2.25 CB P-E	15"x 1-1/4"-7
2 1/2"	2.5 CB P-E	15"x 1-1/4"-7
2 3/4"	2.75 CB P-E	15"x 1-1/4"-7
3"	3 CB P-E	15"x 1-1/4"-7
3 1/4"	3.25 CB P-E	15"x 1-1/4"-7
3 1/2"	3.5 CB P-E	15"x 1-1/4"-7
4"	4 CB P-E	15"x 1-1/4"-7
4 1/4"	4.25 CB P-E	15"x 1-1/4"-7
4 1/2"	4.5 CB P-E	15"x 1-1/4"-7
5"	5 CB P-E	15"x 1-1/4"-7
5 1/2"	5.5 CB P-E	15"x 1-1/4"-7
6"	6 CB P-E	15"x 1-1/4"-7
6 1/4"	6.25 CB P-E	15"x 1-1/4"-7
7"	7 CB P-E	15"x 1-1/4"-7
8"	8 CB P-E	15"x 1-1/4"-7
9"	9 CB P-E	15"x 1-1/4"-7
10"	10 CB P-E	15"x 1-1/4"-7
12"	12 CB P-E	15"x 1-1/4"-7
14"	14 CB P-E	15"x 1-1/4"-7

ZENESIS BLACK CORE BITS

Granite, Engineered Stone -Dry & Wet



Item No.	Diameter	Segment	Arbor Size
1.25 CB ZEN -CS	1-1/4"	10mm	5/8" Threaded
1.375 CB ZEN -CS	1-3/8"	10mm	5/8" Threaded
1.50 CB ZEN -CS	1-1/2"	10mm	5/8" Threaded
2 CB ZEN -CS	2"	10mm	5/8" Threaded
2.25 CB ZEN -CS	2.1/4"	10mm	5/8" Threaded
2.50 CB ZEN -CS	2-1/2"	10mm	5/8" Threaded
3 CB ZEN -CS	3"	10mm	5/8" Threaded

CORE BITS

ZZ CORE BITS

8MM PREMIUM QUALITY TURBO SEGMENTED LASER-WELDED CORE BITS PROVIDE FAST & EASY DRILLING IN CONCRETE BLOCK, BRICK & CONCRETE PRODUCTS.

Hard Concrete | Cured Concrete | Reinforced Concrete | Block | Brick



CUSTOM: SEGMENTS, LENGTHS, & DIAMETERS AVAILABLE

SIZE	ITEM#	DESCRIPTION
1 1/4"	1.25 CB ZZ-E	15"x 1-1/4"-7
1 1/2"	1.5 CB ZZ-E	15"x 1-1/4"-7
2"	2 CB ZZ-E	15"x 1-1/4"-7
2 1/2"	2.5 CB ZZ-E	15"x 1-1/4"-7
2 3/4"	2.75 CB ZZ-E	15"x 1-1/4"-7
3"	3 CB ZZ-E	15"x 1-1/4"-7
3 1/2"	3.5 CB ZZ-E	15"x 1-1/4"-7
4"	4 CB ZZ-E	15"x 1-1/4"-7
4 1/4"	4.25 CB ZZ-E	15"x 1-1/4"-7
5"	5 CB ZZ-E	15"x 1-1/4"-7
5 1/2"	5.5 CB ZZ-E	15"x 1-1/4"-7
6"	6 CB ZZ-E	15"x 1-1/4"-7
6 1/4"	6.25 CB ZZ-E	15"x 1-1/4"-7
6 1/2"	6.5 CB ZZ-E	15"x 1-1/4"-7
7"	7 CB ZZ-E	15"x 1-1/4"-7
8"	8 CB ZZ-E	15"x 1-1/4"-7
9"	9 CB ZZ-E	15"x 1-1/4"-7
10"	10 CB ZZ-E	15"x 1-1/4"-7
12"	12 CB ZZ-E	15"x 1-1/4"-7
14"	14 CB ZZ-E	15"x 1-1/4"-7

ZENESIS CORE BITS

10mm (.394") segment height, ZENESIS Patterned Diamond Core Bits, 14" long barrel

Hard Concrete | Granite | Reinforced Concrete | Block | Brick



SIZE	ITEM#	DESCRIPTION
2.25"	2.25 CB ZEN-E	155"x 1-1/4"-7
2.50"	2.50 CB ZEN-E	155"x 1-1/4"-7
3"	3CB ZEN-E	155"x 1-1/4"-7
4"	4 CB ZEN-E	155"x 1-1/4"-7
4.5"	4.5 CB ZEN-E DIS C	155"x 1-1/4"-7
6.5"	6.5 CB ZEN-E DISC	155"x 1-1/4"-7

CORE BITS

2PC TURBO COREBITS

10.5MM PRO-SERIES LASER-WELDED 2 PART CORE BITS PROVIDE THE FASTEST POSSIBLE DRILLING IN A WIDE RANGE OF CURED CONCRETE, & PAVING MATERIALS.

Hard Concrete | Cured Concrete | Reinforced Concrete | Block | Brick



Extension Core Available

SIZE	ITEM#	DESCRIPTION
1"	1 CB ZZ-BN	15" X 5/8"-11
1 1/8"	1.125 CB ZZ-BN	15" X 5/8"-11
1 1/4"	1.25 CB ZZ-BN	15" X 5/8"-11
1 3/8"	1.375 CB ZZ-BN	15" X 5/8"-11
1 1/2"	1.5 CB ZZ-BN	15" X 5/8"-11
1 5/8"	1.625 CB ZZ-BN	15" X 1-1/4"-7
1 3/4"	1.75 CB ZZ-BN	15"x 1-1/4"-7
1 7/8"	1.875 CB ZZ-BN	15" X 1-1/4"-7
2"	2 CB ZZ-BN	15"x 1-1/4"-7
2 1/4"	2.25 CB ZZ-BN	15"x 1-1/4"-7
2 1/2"	2.5 CB ZZ-BN	15"x 1-1/4"-7
2 3/4"	2.75 CB ZZ-BN	15"x 1-1/4"-7
3"	3 CB ZZ-BN	15"x 1-1/4"-7
3 1/4"	3.25 CB ZZ-BN	15"x 1-1/4"-7
3 1/2"	3.5 CB ZZ-BN	15"x 1-1/4"-7
4"	4 CB ZZ-BN	15"x 1-1/4"-7
4 1/4"	4.25 CB ZZ-BN	15"x 1-1/4"-7
4 1/2"	4.5 CB ZZ-BN	15"x 1-1/4"-7
5"	5 CB ZZ-BN	15"x 1-1/4"-7
5 1/4"	5.25 CB ZZ-BN	15"x 1-1/4"-7
5 1/2"	5.5 CB ZZ-BN	15"x 1-1/4"-7
5 3/4"	5.75 CB ZZ-BN	15"x 1-1/4"-7
6"	6 CB ZZ-BN	15"x 1-1/4"-7
6 1/4"	6.25 CB ZZ-BN	15"x 1-1/4"-7
6 1/2"	6.5 CB ZZ-BN	15"x 1-1/4"-7
6 3/4"	6.75 CB ZZ-BN	15"x 1-1/4"-7
7"	7 CB ZZ-BN	15"x 1-1/4"-7
8"	8 CB ZZ-BN	15"x 1-1/4"-7
8 3/4"	8.75 CB ZZ-BN	15"x 1-1/4"-7
9"	9 CB ZZ-BN	15"x 1-1/4"-7
10"	10 CB ZZ-BN	15"x 1-1/4"-7
12"	12 CB ZZ-BN	15"x 1-1/4"-7
13"	13 CB ZZ-BN	15"x 1-1/4"-7
14"	14 CB ZZ-BN	15"x 1-1/4"-7
16"	16 CB ZZ-BN	15"x 1-1/4"-7

CORE BITS

WET CORE BITS

**8MM SEGMENTED WET CORE BIT FOR GRANITE & OTHER
NATURAL STONE**

All Natural Stone

SIZE	ITEM#	ARBORS
5/8"	.625 CB SEG BIT G-X	5/8"-11
3/4"	.75 CB SEG BIT G-X	5/8"-11
1"	1 CB SEG BIT G-X	5/8"-11
1 1/8"	1.125 CB SEG BIT G-X	5/8"-11
1 1/4"	1.25 CB SEG BIT G-X	5/8"-11
1 3/8"	1.375 CB SEG BIT G-X	5/8"-11
1 1/2"	1.5 CB SEG BIT G-X	5/8"-11
1 3/4"	1.75 CB SEG BIT G-X	5/8"-11
2"	2 CB SEG BIT G-X	5/8"-11
2 1/4"	2.25 CB SEG BIT G-X	5/8"-11
2 3/8"	2.375 CB SEG BIT G-X	5/8"-11
2 1/2"	2.5 CB SEG BIT G-X	5/8"-11
2 3/4"	2.75 CB SEG BIT G-X	5/8"-11
3"	3 CB SEG BIT G-X	5/8"-11
3 1/4"	3.25 CB SEG BIT G-X	5/8"-11
3 1/2"	3.5 CB SEG BIT G-X	5/8"-11
4"	4 CB SEG BIT G-X	5/8"-11
4 1/4"	4.25 CB SEG BIT G-X	5/8"-11
4 1/2"	4.5 CB SEG BIT G-X	5/8"-11
6"	6 CB SEG BIT G-X	5/8"-11



AZUL CORE BITS

**8MM SEGMENTED PROFESSIONAL AZUL DIAMOND CORE
BIT FOR GRANITE**

All Natural Stone

SIZE	ITEM#	ARBORS
1 1/4"	1.25 CB DA-Y	5/8"-11
1 3/8"	1.375 CB DA-Y	5/8"-11
1 1/2"	1.5 CB DA-Y	5/8"-11
1 3/4"	1.75 CB DA-Y	5/8"-11
2"	2 CB DA-Y	5/8"-11
2 1/2"	2.5 CB DA-Y	5/8"-11
3"	3 CB DA-Y	5/8"-11
4"	4 CB DA-Y	5/8"-11

MORE SIZES AVAILABLE UPON REQUEST



CORE BITS



DRY COREBITS

8MM SUPREME QUALITY LASER-WELDED CORE BITS PROVIDE FAST & EASY DRILLING IN CONCRETE BLOCK, BRICK & CONCRETE PRODUCTS.



Masonry | Brick | Concrete Block

SIZE	ITEM#	ARBORS
1"	1 CB D-E	10"x 5/8"-11
1 1/4"	1.25 CB D-E	10"x 5/8"-11
1 1/2"	1.5 CB D-E	10"x 5/8"-11
1 3/4"	1.75 CB D-E	10"x 5/8"-11
2"	2 CB D-E	10"x 5/8"-11
2 1/4"	2.25 CB D-E	10"x 5/8"-11
2 1/2"	2.5 CB D-E	10"x 5/8"-11
3"	3 CB D-E	10"x 5/8"-11
3.5"	3.5 CB D-E	10"x 5/8"-11
4"	4 CB D-E	10"x 5/8"-11
4 1/4"	4.25 CB D-E	10"x 5/8"-11
4 1/2"	4.5 CB D-E	10"x 5/8"-11
5"	5 CB D-E	10"x 5/8"-11
6"	6 CB D-E	10"x 5/8"-11



DRY COREBITS ZZ

8MM SUPREME QUALITY LASER-WELDED CORE BITS PROVIDE FAST & EASY DRILLING IN CONCRETE BLOCK, BRICK & CONCRETE PRODUCTS.



Masonry | Brick | Concrete Block

SIZE	ITEM#	ARBORS
1"	1 CB D ZZ-E	9"x 5/8"-11
1 1/4"	1.25 CB D ZZ-E	9"x 5/8"-11
1 1/2"	1.5 CB D ZZ-E	9"x 5/8"-11
1 3/4"	1.75 CB D ZZ-E	9"x 5/8"-11
2"	2 CB D ZZ-E	9"x 5/8"-11
2 1/4"	2.25 CB D ZZ-E	9"x 5/8"-11
2 1/2"	2.5 CB D ZZ-E	9"x 5/8"-11
3"	3 CB D ZZ-E	9"x 5/8"-11
3.5"	3.5 CB D ZZ-E	9"x 5/8"-11
4"	4 CB D ZZ-E	9"x 5/8"-11
4 1/4"	4.25 CB D ZZ-E	9"x 5/8"-11
4 1/2"	4.5 CB D ZZ-E	9"x 5/8"-11
5"	5 CB D ZZ-E	9"x 5/8"-11
6"	6 CB D ZZ-E	9"x 5/8"-11

CORE BITS



DRY CORE BIT

WET OR DRY CORE BIT FOR GRANITE & OTHER NATURAL
STONE DIAMOND SIDE PROTECTION - FAST CORING &
LONG LASTING - #1 GRANITE CORE BIT

All Natural Stone

SIZE	ITEM#	ARBORS
1"	1 CB DS-X	5/8"-11
1 1/4"	1.25 CB DS-X	5/8"-11
1 3/8"	1.375 CB DS-X	5/8"-11
1 1/2"	1.5 CB DS-X	5/8"-11
1 3/4"	1.75 CB DS-X	5/8"-11
2"	2 CB DS-X	5/8"-11
2 1/2"	2.5 CB DS-X	5/8"-11
3"	3 CB DS-X	5/8"-11

VAC BRAZED BITS

VACUUM BRAZED COREBIT FOR MARBLE

Marble | Lime Stone | Light Weight Material



SIZE	ITEM#	ARBORS
1/4"	.25 CB VB-X	5/8"-11
1/2"	.50 CB VB-X	5/8"-11
3/4"	.75 CB VB-X	5/8"-11
1"	1 CB VB-X	5/8"-11
1 1/4"	1.25 CB VB-X	5/8"-11
1 3/8"	1.375 CB VB-X	5/8"-11
1 1/2"	1.5 CB VB-X	5/8"-11
1 5/8"	1.625 CB VB-X	5/8"-11
1 3/4"	1.75 CB VB-X	5/8"-11
2"	2 CB VB-X	5/8"-11
	PGDB	PILOT GUIDE BIT

ADDITIONAL: SIZES AVAILABLE UPON REQUEST

CORE BITS

TILE CORE BITS

5.5MM PROFESSIONAL SERIES CONTINUOUS TILE BIT CTR
PILOT, 1/2 SHANK

Porcelain | Ceramic



SIZE	ITEM#	ARBORS
1/2"	.50 TB CTR C-E	10MM SHANK
5/8"	.625 TB CTR C-E	10MM SHANK
3/4"	.75 TB CTR C-E	10MM SHANK
7/8"	.875 TB CTR C-E	10MM SHANK
1"	1 TB CTR C-E	10MM SHANK w/ CENTER BIT
1 1/8"	1.125 TB CTR C-E	10MM SHANK w/ CENTER BIT
1 1/4"	1.25 TB CTR C-E	10MM SHANK w/ CENTER BIT
1 3/8"	1.375 TB CTR C-E	10MM SHANK w/ CENTER BIT
1-1/2"	1.12 TB CTR C-E	10MM SHANK w/ CENTER BIT
1 5/8"	1.625 TB CTR C-E	10MM SHANK w/ CENTER BIT
1 3/4"	1.75 TB CTR C-E	10MM SHANK w/ CENTER BIT
1 7/8"	1.875 TB CTR C-E	10MM SHANK w/ CENTER BIT
2"	2 TB CTR C-E	10MM SHANK w/ CENTER BIT

TILE CORE BITS

5.5MM TURBO PROFESSIONAL SERIES TILE CORE BIT WITH
CENTER DRILL PIN

Porcelain | Ceramic




SIZE	ITEM#	ARBORS
1/2"	.50 TB CTR-E	10MM SHANK
5/8"	.625 TB CTR-E	10MM SHANK
3/4"	.75 TB CTR-E	10MM SHANK
7/8"	.875 TB CTR-E	10MM SHANK
1"	1 TB CTR-E	10MM SHANK w/ CENTER BIT
1 1/8"	1.125 TB CTR-E	10MM SHANK w/ CENTER BIT
1 1/4"	1.25 TB CTR-E	10MM SHANK w/ CENTER BIT
1 3/8"	1.375 TB CTR-E	10MM SHANK w/ CENTER BIT
1-1/2"	1.12 TB CTR-E	10MM SHANK w/ CENTER BIT
1 5/8"	1.625 TB CTR-E	10MM SHANK w/ CENTER BIT
1 3/4"	1.75 TB CTR-E	10MM SHANK w/ CENTER BIT
1 7/8"	1.875 TB CTR-E	10MM SHANK w/ CENTER BIT
2"	2 TB CTR-E	10MM SHANK w/ CENTER BIT

ARIX



It is almost impossible to find one perfect solution of diamond tools that is the best for every case no matter what you are in need of. However, what if it is possible to find a way to realize one perfect solution for each case? ARIX Technology is to place diamond grits precisely in three dimensional patterns and to deliver the best performance to you in all cases.



The three dimensional patterns that ARIX Technology can arrange diamond grits in are various as you find some examples below. We wouldn't blame you even if you call ARIX an art rather than a technology.



CB ARIX-SH

For drilling various ranges of materials; from heavily reinforced concrete to asphalt, the ARIX Wet Core Bits will ensure maximum performance and satisfaction to each and every customer.



CB D ARIX-SH

It is designed for wall drilling such as brick, block and light weight concrete. It is specially easy to handle with electric hammer drill machine and this range guarantee highest performance among counterparts.

NON CORING BITS

10MM NON CORING BITS ARE THE CHOICE FOR LONG LIFE WHEN DRILLING SMALL DIAMETER HOLES IN HARD MATERIAL.



BN NCB All Natural Stone

SIZE	ITEM#	SHAFT
3/16"	.187 CB NCB-BN	5/8"-11 TH or 1/4" SHANK
1/4"	.25 CB NCB-BN	5/8"-11 TH or 1/4" SHANK
5/16"	.312 CB NCB-BN	5/8"-11 TH or 1/4" SHANK
3/8"	.375 CB NCB-BN	5/8"-11 TH or 1/4" SHANK
7/16"	.437 CB NCB-BN	5/8"-11 TH or 1/4" SHANK
1/2"	.50 CB NCB-BN	5/8"-11 TH or 1/4" SHANK
9/16"	.562 CB NCB-BN	5/8"-11 TH or 1/4" SHANK
5/8"	.625 CB NCB-BN	5/8"-11 TH or 1/4" SHANK
3/4"	.75 CB NCB-BN	5/8"-11 TH or 1/4" SHANK

DEFINE SHAFT TYPE WHEN ORDERING



2550 N. Powerline Rd, Ste 102

Pompano Beach Fl 33069

1-800-211-0665

www.dtblades.com

Mon-Fri 8AM - 5PM